

THINK OUTSIDE THE CUP

THE NORTON PAINT SYSTEM

new!



▶ The Norton Paint System with its distinctive unitized construction allows for spraying in any position with or without the hard cup. The easy to assemble system ensures a consistent spray pattern, convenient storage of paint as well as easy and clean disposal of the entire unit. When it comes to inventing a better system, you have to think outside the cup.

SIMPLY INGENIOUS

www.nortonautomotive.com

NORTON

PAINT SYSTEM

NEW **NORTON PAINT SYSTEM**

Solve a Problem You Didn't Know You Had

The unitized Lid / Liner assembly is guaranteed never to come apart during disposal which eliminates the hazard and mess of spilled paint.

Or, it can be securely sealed with the plug for use in future spraying of the remaining paint. No matter how you handle it, the unitized leak-proof

Lid/Liner assembly is guaranteed to remain securely sealed during disposal or storage. It's as simple and as ingenious as that.



Advanced Unitized Construction

SIMPLY INGENIOUS



Thread the adapter to the spray gun.



Seat the ring into the cup.



Insert the liner into the ring.
Load the paint by weight or by using the pre-printed mixing ratio scales on the mixing cup.



Mix the paint by stirring (if not using a mechanical shaker) and **CLEAN THE LINER FLANGE/RING AREA OF ANY SPILLED PAINT BEFORE ATTACHING THE LID.**



Seat the lid onto ring and rotate lid twice to attach:
A) 1/4 turn counter-clockwise until you hear a "click" sound.
B) Rotate lid clockwise until tight.



"Snap" wings to cup.



Insert the plug firmly into the lid tower if using a mechanical shaker or for storage until ready to use.



Add the shaker cap to shake the paint.



After shaking, let the paint settle and slowly remove the plug to release any air build up.



Mount the adapter flush to the lid tower base by pressing down firmly on the spray gun.



"Snap" the adapter locks over the adapter base to secure the lid to the gun adapter.



Connect the air line to the gun and purge the air from the liner, adjust the spray pattern and you're ready to spray.

SOLVE A PROBLEM FROM ANY ANGLE




The unique unitized construction of the Norton Paint System keeps the liner, lid and ring completely sealed and working as one unit so you can paint with the Mixing Cup attached.

OR

If you have to maneuver into a tight spot, simply unsnap the wings that secure the Mixing Cup to the unitized system and keep on spraying without any concern for leakage. The Norton Paint System is guaranteed not to leak.

Spraying at any angle, even upside down, is no problem for the versatile, self contained system.



Spherical bottom creates vortex for proper paint mixing when stirring



Precision engineered liner collapses evenly for complete drainage and consistent performance.

Mix ratio scales printed directly on the reusable mixing cup

Built in large filter in Fine 190 micron (standard) and Extra Fine 125 micron

ADAPTERS FOR THE MOST POPULAR GUNS



2A 4A 5A 6A 7A 8A



9A 10A 11A 12A 14A 15A



18A 19A 20A 21A 22A

Adapter Availability

Adapters allow most spray guns to be easily adapted to the Norton Paint System.

076607-	ADAPTER	QTY PER PKG	PKG PER CASE
21658	2A 16mm Female, 1.5mm Thread	4	1
21659	4A 12mm Female, 1.0mm Thread	4	1
21660	5A 12mm Male, 1.5mm Thread	4	1
21661	6A 1/4 Male, 19 Thread (BSP)	4	1
21662	7A 3/8 Female, 18 Thread (BSP)	4	1
21663	8A 12mm Male, 1.0mm Thread	4	1
21664	9A 16mm Male, 1.5mm Thread	4	1
21665	10A Elbow Swivel Nut, 1/4 Female, 19 Thread (BSP)	4	1
21666	11A 3/8 Male, 18 Thread (NPS)	4	1
21667	12A 10mm Male, 1.0mm Thread	4	1
21668	14A 7/16 Male, 14 Thread (UNC)	4	1
21669	15A 3/8 Male, 19 Thread (BSP)	4	1
21675	16A 3/8 Female, 19 Thread (BSP)	4	1
21676	17A 1/4 Female, 19 Thread (BSP)	4	1
21670	18A 3/8 Female, 18 Thread (NPS)	4	1
21671	19A 3/8 Female, 19 Thread (BSP)	4	1
21672	20A 1/8 Male, 27 Thread (UPSM)	4	1
21673	21A 14mm Female, 1.0mm Thread	4	1
21674	22A 8mm Male, 0.75mm Thread	4	1
21677	23A 1/4 Female, 18 Thread (NPS)	4	1
21678	24A Elbow Swivel Nut, 1/4 Female 18 Thread (NPS)	4	1
21679	25A 1/4 Female, 19 Thread (BSP)	4	1
21752	For SATA 3000 Quick Connect use with adapter 5A	4	1



Adapter Guide

These are the adapters needed for the most popular guns.

MANUFACTURER	SPRAY GUN	ADAPTER
Accuspray	Issac	7A
Airgunsa	AZ40 HTE	8A
Asturo	OM Green	6A
DeVilbiss	PRI, GTI, GTI Pro, GFG, GFV,GFHV 510	15A
Eminent	E13	6A
IWATA	W 400, WR 400, LPA 94, VXL Primer Gun, LPH 400, LPH 440	2A
		2A
	W300,LPH 300	6A
Kremlin	M 21 G	6A
Sagola	475 Mini-Gun	12A
	403 G, 433 G, 434 G, 444 G, 450 G	5A
	4100 G, 4200 G, 4300	5A
SATA	SATAjet 2000 HVLP w/o QCC	9A
	SATAjet RP w/o QCC	9A
	SATA LM 2000 HVLP/RRP	9A
	SATA KLC HVLP/RRP,KLC P	9A
	SATAjet 90	9A
	SATAjet B	2A
	SATAjet B NR 92,NR 95 HVLP	2A
SATA LM B 92	5A	
	SATAminijet,minijet 2, 3, 4	12A
Sharpe	GT1,Platinum,Titanium,Cobalt,SGF 98	11A
Walcom	FX GEO, FX HVLP	8A



NORTON PAINT SYSTEM AVAILABILITY

The unitized construction, easy assembly, complete versatility and clean disposal make the Norton Paint System a superior system for any shop focused on decreasing costs and increasing quality.



Kit: Liners / Lids / Rings / Plugs

Each Kit comes with Lids, Liners, Rings and Plugs. The Small, Medium and Large kits come in two versions based on the mesh of the built-in filter in the lid. The most common 190µ mesh is typically used with solvent based paints and the 125µ mesh is typically used with waterborne paints. Refer to the paint manufacturer's recommendation for the correct filter mesh.

KIT SIZE	DESCRIPTION	190µ FILTER 076607-	125µ FILTER 076607-	QTY PER PKG	PKG PER CASE
Small	8 oz / 250 ml use with 21650	21645	21644	48	1
Medium	25 oz / 750 ml use with 21651	21647	21646	48	1
Large	32 oz / 950 ml use with 21652	21649	21648	24	1



Reusable Mixing Cup

The reusable mixing cup has pre-printed mixing ratio scales on the cup for greater convenience. The mixing cups are used with the components from the kit to create a unitized system.

CUP SIZE	DESCRIPTION	076607-	QTY PER PKG	PKG PER CASE
Small	8 oz / 250 ml use with 21644 or 21645	21650	2	4
Medium	25 oz / 750 ml use with 21646 or 21647	21651	2	4
Large	32 oz / 950 ml use with 21648 or 21649	21652	1	4



Shaker Cap

The shaker cap fits both the Medium and Large Cups when using a mechanical shaker to mix the paint.

CAP	076607-	QTY PER PKG	PKG PER CASE
Fits both Medium and Large cups	21653	24	1

Dispensers

For convenient dust free storage of kit components

DESCRIPTION	076607-	QTY PER PKG	PKG PER CASE
Small Liner Dispenser (Holds 50 Liners)	21654	1	1
Medium/Large Liner Dispenser (Holds 50 Liners)	21655	1	1
Lid and Ring Dispenser (Holds 25 M/L Lids or Rings or 50 Small Lids or Rings)	21656	1	1



REVOLUTIONIZING REFINISHING

HEADQUARTERS:
Saint-Gobain Abrasives, Inc.
Automotive Sales
1 New Bond Street
Worcester, MA 01615-0008
Phone: (508) 795-5000
Fax: (508) 795-2794

IN THE UNITED STATES:
Saint-Gobain Abrasives, Inc.
2770 West Washington Street
Stephenville, TX 76401-3799
Phone: 1 800 456-8444
Fax: 1 888 383-2249

IN CANADA:
Saint-Gobain Abrasives Canada Inc.
PO Box 3008, 3 Beach Road
Hamilton, ON L8L 7Y5
Phone: 1 800 263-6565
Fax: 1 800 850-5816



www.nortonautomotive.com

© Saint-Gobain Abrasives, Inc. May 2008
The Norton logo is a registered trademark of Saint-Gobain Abrasives, Inc.

FORM # 8074

